درباره ما
About us

به نام ایزد یکتا

امروزه سرعت حرکت و پیشرفت فناوری برای حتی یک نسل قبل نیز غیر قابل باور است. شاید حتی پدران ما تصور نمی‌کردند در سال‌های آینده پیشرفت و توسعه فناوری در تمامی زمینه‌ها به گونه‌ای باشد که حتی از خود انسان که خالق آن است پیشی بگیرد.
امروزه با استفاده از هوش مصنوعی سرعت علم بسیار بالا رفته است و محدودیت‌ها یکی پس از دیگری به چالش کشیده می‌شود.
در دنیای امروز اگر هر مجموعه صنعتی و تجاری نتواند خود را با پیشرفت علم و توسعه فناوری همراه کند، بی شک از گردونه رقابت حذف خواهد شد.
شرکت «**سینافیدارکیمیا**» در سال ۱۳۹۸ تأسیس شد و با استفاده از تجربیات گذشته مدیران و مؤسسین و همکاران خود، فعالیت در زمینه تولید محصولات شیمیایی و پلیمری را آغاز کرد. این شرکت در فازهای مختلف اقدام به تولید محصولات شیمیایی و پلیمری نمود که یکی از مهمترین آنها تولید انواع گرانول‌های P.V.C مورد مصرف در تولید تجهیزات پزشکی است.
این مهم با تلاش، همت و استفاده از عنصر پژوهش متخصصین و کارکنان پرتلاش و با بهره گیری از تجهیزات پیشرفته خطوط تولید و آزمایشگاه مجهز شیمیایی و پلیمری شرکت به ثمر نشسته است.
این شرکت مفتخر است که علاوه بر تولید بخش عمده مواد اولیه مورد نیاز خود، توانسته مجوز و پروانه ساخت در زمینه تولید انواع گرانول P.V.C گرید پزشکی با برند «**کیمیا زر**» را از اداره کل تجهیزات پزشکی وزارت بهداشت درمان و آموزش پزشکی جمهوری اسلامی ایران کسب نماید.

In the name of God

Nowadays, movement and advancement of technology is unbelievable even for a previous generation. Maybe even our fathers did not imagine that in the coming years, the progress and development of technology in all fields will surpass even the man who created it. Today, with the use of artificial intelligence, the speed of science has increased and the limits are being challenged one after another. In today's world, if any industrial and commercial complex cannot keep up with the advancement of science and technology, it will undoubtedly be removed from the competition.
"**Sina Fidar Kimiya**" company was established in 2018 and by using the past experiences of its managers, founders and colleagues, it started in the field of chemical and polymeric products. This company produced chemical and polymer products in different fields, one of the most important of which is the production of PVC granules used in the production of medical equipment.
This important thing is achieved with the efforts by using the research element of experts and hardworking employees and by using the advanced equipment of the production lines and the well-equipped chemical and polymer laboratory of the company.
"**Sina Fidar Kimiya**" company is proud that in addition to producing most of the raw materials it needs, it has been able to obtain a license and manufacturing permit for the production of medical grade PVC granulesunder the brand "Kimia Zar" from the General Department of Medical Equipment of the Ministry of Health and Medical Education of the Islamic Republic of Iran.



معرفی محصولات
Introduction of products

KIMIYA ZAR
PVC GRANULE
Medical Grade

مشخصات:
گرانول PVC گرید پزشکی مورد مصرف در قطعات تزریقی نرم پزشکی مانند گسکت سرنگ که مورد تایید اداره تجهیزات پزشکی قرار گرفته و کلیهٔ آزمون‌های زیستی و فیزیکی را گذرانده است.

SPECIFICATION:
Medical grade PVC granule used for soft medical injection parts such as syringe gasket, which is approved by the Medical Equipment Department and has passed all bio-physical tests.

APPLICATION:
Medical soft parts and syringe gaskets.

PACKING UNIT:
25 kg of granules in nylon inside a woven pp bag

SHELF LIFE:
24 months if stored at room temperature and in sealed orginal drum

STORATE:
Below 45°C and in its packages away from any moisture



TECHNICAL DATA SHEET:

test	Standard and test method	unit	Typical value
hardness	Astmd 2240 (15sec)	Shore A	54
density	Astmd 792	Gr/ cm^3	1.15 ± 0.01
Heat stability at 150c	Vde 0472 / 9.71	minute	45
Elongation at break	Astmd 638	%	420
Tensile strength	Astmd 638	N/ mm^2	10.5

KIMIYA ZAR
PVC GRANULE
Medical Grade

مشخصات:

گرانول PVC گرید پزشکی مورد مصرف در قطعات تزریقی پزشکی مانند پوآر، که مورد تایید اداره تجهیزات پزشکی قرار گرفته و کلیهٔ آزمون‌های زیستی و فیزیکی را گذرانده است.



SPECIFICATION:

Medical grade PVC granule used for injectable medical parts such as POAR, which is approved by the medical equipment department and has passed all biological and physical tests.

APPLICATION:

Medical grade granules for injectable parts such as Poar.

PACKING UNIT:

25 kg of granules in nylon inside a woven pp bag

SHELF LIFE:

24 months if stored at room temperature and in sealed orginal drum

STORATE:

Below 45°C and in its packages away from any moisture

TECHNICAL DATA SHEET:

test		unit	Typical value
hardness	Astmd 2240 (15sec)	Shore A	61
density	Astmd 792	Gr/ cm^3	1.16 ± 0.01
Heat stability at 150c	Vde 0472 / 9.71	minute	45
Elongation at break	Astmd 638	%	420
Tensile strength	Astmd 638	N/ mm^2	14

KIMIYA ZAR
PVC GRANULE
Medical Grade

مشخصات:
گرانول PVC گرید پزشکی مورد مصرف در مصرف قطعات تزریقی پزشکی مانند ماسک اکسیژن، که مورد تایید اداره تجهیزات پزشکی قرار گرفته و کلیهٔ آزمون‌های زیستی و فیزیکی را گذرانده است.

SPECIFICATION:
Medical grade PVC granule used for injectable medical parts such as oxygen masks, which is approved by the Medical Equipment Department and has passed all bio-physical tests.

APPLICATION:
Medical grade granules for injectable parts such as oxygen masks.

PACKING UNIT:
25 kg of granules in nylon inside a woven pp bag

SHELF LIFE:
24 months if stored at room temperature and in sealed orginal drum

STORATE:
Below 45°C and in its packages away from any moisture



TECHNICAL DATA SHEET:

test	Standard and test method	unit	Typical value
hardness	Astmd 2240 (15sec)	Shore A	70
density	Astmd 792	Gr/ cm^3	1.17 ± 0.01
Heat stability at 150c	Vde 0472 / 9.71	minute	45
Elongation at break	Astmd 638	%	340
Tensile strength	Astmd 638	N/ mm^2	15

KIMIYA ZAR
PVC GRANULE
Medical Grade

مشخصات:

گرانول PVC گرید پزشکی مورد مصرف در قطعات اکسترودری که مورد تایید اداره تجهیزات پزشکی قرار گرفته وکلیهٔ آزمون‌های زیستی وفیزیکی راگذرانده است.



SPECIFICATION:

Medical grade PVC granule used for extrusion parts, which is approved by the medical equipment department and has passed all biological and physical tests.

APPLICATION:

Medical grade granules for extrusion parts.

PACKING UNIT:

25 kg of granules in nylon inside a woven pp bag

SHELF LIFE:

24 months if stored at room temperature and in sealed orginal drum

STORATE:

Below 45°C and in its packages away from any moisture

TECHNICAL DATA SHEET:

test		unit	Typical value
hardness	Astmd 2240 (15sec)	Shore A	83
density	Astmd 792	Gr/ cm^3	1.23 ± 0.01
Heat stability at 150c	Vde 0472 / 9.71	minute	45
Elongation at break	Astmd 638	%	300
Tensile strength	Astmd 638	N/ mm^2	21

گواهی‌نامه‌ها

Certificate



Institute of Global Certification

Management System Certification Body No. MSCB-105

CERTIFICATE

No. 22-B-1374 Rev. 0

Sina Fidar Kimiya (Kimiya Zar)

No.114, 1st Alley, Enghelab St, Shokohie Town, Qom, IRAN

Company Reg. No.: 16815

has documented and implemented system in compliance with the requirements of

ISO 13485:2016

Medical Devices Quality Management System

for

Production of Medical PVC Granules

Technical Area:

F: Parts or services - Raw materials

The certificate is issued on the basis of the results mentioned in the pertinent audit report. Validity of the certificate is conditionally limited by positive results of surveillance audits, which the certified company is committed to undergo.

This certificate can be invalid if the certificate holder does not fulfill the conditions set out in the certification agreement.

IGC is accredited by IAS for the scope and sub scopes described in this certificate

Initial issue date: Jan. 14. 2022

Expire date: Jan. 13. 2025

G. Gilbert

Head of Certification Body

Rm. 501, Daeryung techno town, 638, Seobinaet-gil, Geumchoen-gu, Seoul, Republic of Korea

www.igcert.org

INSTITUTE OF GLOBAL CERTIFICATION

کسب گواهی‌نامه بین المللی

ISO : 13485

مدیریت کیفیت تجهیزات پزشکی





گواهی نامه ثبت علامت

کیمیا زر

گواهی‌نامه ثبت علامت تجاری

کیمیا زر

نشان محصولات شرکت



Certificate of Compliance

INTEGRATED QUALITY CERTIFICATION PVT. LTD.

Hereby certifies that the quality management systems of

Sina Fidar Kimiya (KIMIYA ZAR)

SH114 , Enghelab St. , Sana Sqr. , Shokohieh Industrial City, Qom, Iran

has been assessed and conforms to the

ISO 14001:2015

Scope: Manufacturing Of PVC Granules & Medical Grade

EA/NACE : 09 - 22.21, 22.22

Exclusion(s) : 8.3

Certificate number : QMS/NAB- 40012173

Attachment(s) : None

Initial issue date : 21.02.2022

Re-Validation date : 21.02.2023

Valid from : 21.02.2022

Valid till : 21.02.2025

IQC CERTIFICATION

This certificate is valid subject to periodic surveillance audits of the quality management systems within the above defined scope as per the agreed contract terms and conditions. The organisation shall provide written notification to Integrated Quality Certification Pvt. Ltd. of any significant changes which have impact on the scope of this certificate of compliance.

Please visit www.npiso.org (www.iqccert.com and / Or www.jaz-ans.org)

to verify the authenticity and validity of this certificate of compliance

گواهی‌نامه بین المللی

ISO : 14001 : 2015

مدیریت کیفیت تولید گرانول گرید پزشکی



Certificate of Compliance

INTEGRATED QUALITY CERTIFICATION PVT. LTD.

Hereby certifies that the quality management systems of

Sina Fidar Kimiya (KIMIYA ZAR)

SH114 , Enghelab St. , Sana Sqr. , Shokohieh Industrial City, Qom, Iran

has been assessed and conforms to the

ISO 45001:2018

Scope: Manufacturing Of PVC Granules & Medical Grade

EA/NACE : 09 - 22.21, 22.22

Exclusion(s) : 8.3

Certificate number : QMS/NAB- 40012171

Attachment(s) : None

Initial issue date : 21.02.2022

Re-Validation date : 21.02.2023

Valid from : 21.02.2022

Valid till : 21.02.2025

IQC CERTIFICATION

This certificate is valid subject to periodic surveillance audits of the quality management systems within the above defined scope as per the agreed contract terms and conditions. The organisation shall provide written notification to Integrated Quality Certification Pvt. Ltd. of any significant changes which have impact on the scope of this certificate of compliance.

Please visit www.npiso.org (www.iqccert.com and / Or www.jaz-ans.org)

to verify the authenticity and validity of this certificate of compliance

گواهی‌نامه بین المللی

ISO : 45001 : 2018

مدیریت کیفیت تولید گرانول گرید پزشکی



Certificate of Compliance

INTEGRATED QUALITY CERTIFICATION PVT. LTD.

Hereby certifies that the quality management systems of

Sina Fidar Kimiya (KIMIYA ZAR)

SH114 , Enghelab St. , Sana Sqr. , Shokohieh Industrial City, Qom, Iran

has been assessed and conforms to the

ISO 9001:2015

Scope: Manufacturing Of PVC Granules & Medical Grade

EA/NACE : 09 - 22.21, 22.22

Exclusion(s) : 8.3

Certificate number : QMS/NAB- 40012172

Attachment(s) : None

Initial issue date : 21.02.2022

Re-Validation date : 21.02.2023

Valid from : 21.02.2022

Valid till : 21.02.2025

IQC CERTIFICATION

This certificate is valid subject to periodic surveillance audits of the quality management systems within the above defined scope as per the agreed contract terms and conditions. The organisation shall provide written notification to Integrated Quality Certification Pvt. Ltd. of any significant changes which have impact on the scope of this certificate of compliance.

Please visit www.npiso.org (www.iqccert.com and / Or www.jaz-ans.org)

to verify the authenticity and validity of this certificate of compliance

گواهی‌نامه بین المللی

ISO : 9001 : 2015

مدیریت کیفیت تولید گرانول گرید پزشکی

نشانی: قم | شهرک صنعتی شکوهیه | فازیک | میدان
ثنا | خیابان انقلاب | انقلاب یکم | قطعه ۱۱۴ SH
تلفن: ۰۲۵ ۳۳۳۴۸۰۳۱
نمابر: ۰۲۵ ۳۳۳۴۸۰۳۳

Add.: SH114 | Enghelab St. | Sana Sq.
Shokohieh Industrial City | Qom | IRAN
Tel: +98 25 33348031
Fax: +98 25 33348033

سینافیدارکیمیا

SINA FIDAR KIMIYA

www.sinafidar.com
Email: info@sinafidar.com
sinafidarkimiya@gmail.com